








TOLERANCE	30XB-0350-0400-0450 OPT 254/255 30XB(P)-0400 - 0450 30XB-0500		DATE 25-Jul-18	Feuille Sheet 1/7 Indice
±10		00DCG000278100		C



OPTION 100A

OR

OPTION 5

OR

OPTION 6





OPTION 100A + 107

OR

OPTION 5 + 107



OR

OPTION 6 + 107







TOLERANCE	30XB-0350-0400-0450 OPT 254/255		DATE	Feuille Sheet 2/7 Indice
	30XB(P)-0400 - 0450		25-Jul-18	
±10	30XB-0500	00DCG000278100		C

OPTION 107




OPTION 100C







	30XB -0350	30XB(P)-0400	30XB(P)-0450
X	2608	2528	2506
Y	1110	1117	1094
Z	676	678	675



DETAIL B




ELECTRICAL BOX: POWER CONNECTION


A100
30XB(P) 0400 450
30XP 350 OPT 254 / 255

TOLERANCE ±10	30XB-0350-0400-0450 OPT 254/255 30XB(P)-0400 - 0450 30XB-0500		DATE 25-Jul-18	Feuille Sheet 4/7
				Indice C


OPT 266




OPT 266+100C



OPT 266+107




OPT 266+100C+107




	$\varnothing S$ mm	$\varnothing S1$ mm	$\varnothing S2$ mm
30XB-0350 30XB(P)-0400-0450	141.3	141.3	114.3

TOLERANCE ±10	30XB-0350-0400-0450 OPT 254/255 30XB(P)-0400 - 0450 30XB-0500	 00DCG000278100	DATE 25-Jul-18	Feuille Sheet 5/7 Indice C


OPT (5 OR 6 OR 100A) + 266



HYDRONIC MODULE + OPT 266



OPT (5+107 OR 6+107 OR 100A+107) + 266



	ØS mm	ØS1 mm	ØS2 mm
30XB-0350 30XB(P)-0400-0450	141.3	141.3	114.3

TOLERANCE ±10	30XB-0350-0400-0450 OPT 254/255 30XB(P)-0400 - 0450 30XB-0500	 00DCG000278100	DATE 25-Jul-18	Feuille Sheet 6/7 Indice C

