











DETAIL SOUPAPE 5





DETAIL SOUPAPE 9

TOLERANCE	30XB(P)-0500		DATE	Feuille Sheet 1/7
±10	*	00DCG000278200	02-Feb-18	Indice B



OPTION 100A OR OPTION 5 OR OPTION 6





OPTION 100A + 107 OR OPTION 5 + 107 OR OPTION 6 + 107




OPTION 107



OPTION 100C



OPTION 107



TOLERANCE
 ± 10



30XB(P)-0500
*

Carrier



DATE
02-Feb-18

00DCG000278200

Feuille
Sheet
3/7
Indice
B



	30XB(P)-0500
X	3133
Y	1098
Z	699




A100

ELECTRICAL BOX: POWER CONNECTION


TOLERANCE	30XB(P)-0500		DATE	Feuille
± 10	*		02-Feb-18	Sheet
				4/7
				Indice
				B

00DCG000278200


OPT 266




OPT 266:100C



OPT 266:107




OPT 266:100C+107




	$\varnothing S$ mm	$\varnothing S1$ mm	$\varnothing S2$ mm
30XB(P)-0500	141.3	141.3	114.3

TOLERANCE	30XB(P)-0500		DATE	Feuille
± 10	*		02-Feb-18	Sheet
		00DCG000278200		5/7
				Indice
				B


OPT (5 OR 6 OR 100A) + 266



HYDRONIC MODULE + OPT 266



OPT (5+107 OR 6+107 OR 100A+107) + 266



	Ø S mm	Ø S1 mm	Ø S2 mm
30XB(P)-0500	141.3	141.3	114.3

TOLERANCE	30XB(P)-0500		DATE	Feuille Sheet 6/7
±10	*		02-Feb-18	Indice
			00DCG000278200	B

