










DETAIL SOUPAPE 5






DETAIL SOUPAPE 9

	30XB-0350	30XB(P)-0400 30XB(P)-0450 30XB-0500
A	535	347
B	1357	1522
Ø C	114.3	114.3
Ø D	114.3	114.3





ECHELLE 1:20

TOLERANCE	30XB-0350-0450 HYDRONIC OPT 254 OR 255		DATE	Feuil Sheet 1/5
±10	30XB 0500 HYDRONIC 30XB(P)-0400-0450 HYDRONIC		28-Nov-18	Indic
		00DCG000278600		B



	30XB-0350	30XB(P)-0400
X	2498	2406
Y	1136	1149
Z	642	637

	30XB(P)-0450	30XB-0500
X	2370	2252
Y	1136	1188
Z	628	715




ELECTRICAL BOX: POWER CONNECTION

A100
30XB(P) 400-450
30XB 350 OPT 254/255


TOLERANCE ±10	30XB-0350-0450 HYDRONIC OPT 254 OR 255 30XB 0500 HYDRONIC 30XB(P)-0400-0450 HYDRONIC		DATE 28-Nov-18	Feuille Sheet 2/5
				Indice B

00DCG000278600


OPT 266




OPT 266+100C



OPT 266+107




OPT 266+100C+107




	$\varnothing S$ mm	$\varnothing S1$ mm	$\varnothing S2$ mm
30XB-0350-0500 30XB(P)-0400-0450	141.3	141.3	114.3

TOLERANCE ± 10	30XB-0350-0450 HYDRONIC OPT 254 OR 255 30XB 0500 HYDRONIC 30XB(P)-0400-0450 HYDRONIC	 00DCG000278600	DATE 28-Nov-18	Feuille Sheet 3/5 Indice B


OPT (5 OR 6 OR 100A) + 266



HYDRONIC MODULE + OPT 266



OPT (5+107 OR 6+107 OR 100A+107) + 266



	ØS mm	ØS1 mm	ØS2 mm
30XB-0350-0500 30XB(P)-0400-0450	141.3	141.3	114.3

TOLERANCE	30XB-0350-0450 HYDRONIC OPT 254 OR 255		DATE	Feuille Sheet 4/5
±10	30XB 0500 HYDRONIC 30XB(P)-0400-0450 HYDRONIC		28-Nov-18	Indice B
		00DCG000278600		

