










TOLERANCE	30XB(P) 0400-0450		DATE	Feuille Sheet 1/6
±10	OPTION 50		02-Feb-18	Indice
		00DCG000278900		B



VUE **F**
ECHELLE 1:16





TOLERANCE	30XB(P) 0400-0450		DATE	Feuille Sheet 2/6 Indice
±10	OPTION 50		02-Feb-18	
		00DCG000278900		B



DETAIL B

	30XB(P)-0400	30XB(P)-0450
X	2580	2579
Y	1095	1070
Z	707	720




ELECTRICAL BOX: POWER CONNECTION


A100
30XB(P) 0400-0450

TOLERANCE	30XB(P) 0400-0450	Carrier	DATE	Feuille Sheet 3/6
±10	OPTION 50		02-Feb-18	Indice
		00DCG000278900		B


OPT 266




OPT 266+100C



OPT 266+107




OPT 266+100C+107




	$\varnothing S$ mm	$\varnothing S1$ mm	$\varnothing S2$ mm
30XB(P) 0400-0450	141.3	141.3	114.3

TOLERANCE	30XB(P) 0400-0450		DATE	Feuille Sheet 4/6
± 10	OPTION 50		02-Feb-18	
		00DCG000278900		Indice B


OPT (5 OR 6 OR 100A) + 266



HYDRONIC MODULE + OPT 266



OPT (5+107 OR 6+107 OR 100A+107) + 266



	ØS mm	ØS1 mm	ØS2 mm
30XB(P) 0400-0450	141.3	141.3	114.3

TOLERANCE	30XB(P) 0400-0450		DATE	Feuille Sheet 5/6
±10	OPTION 50		02-Feb-18	
		00DCG000278900		Indice B

