





15 POWER AND CONTROL ELECTRICAL BOX



G
(VOIR F.3
SEE SHEET 3)




F




5/8" SAE M Flare

DETAIL SOUPAPE 5



1/2" SAE M Flare

DETAIL SOUPAPE 9



2

500

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46

2200

446

2690

3582

1500

2231

46



2200

446


2690

3582



1500





VUE **G**
Echelle 1:16



TOLERANCE	30XB(P) 250-300-350	DATE	02-Feb-18	Feuille Sheet 2/6
± 10	HYDRONIC MODULE + OPT 50			Indice
			00DCG000279300	B




	30XB(P)-0250	30XB(P)-0300	30XB(P)-0350
X	1879	1859	1854
Y	1108	1119	1117
Z	637	633	631




A100
ELECTRICAL BOX: POWER CONNECTION


OPT 266




OPT 266+100C



OPT 266+107




OPT 266+100C+107




	Ø S mm	Ø S1 mm	Ø S2 mm
30XB(P)			
250	141.3	141.3	114.3
300			
350			


OPT (5 OR 6 OR 100A) + 266



HYDRONIC MODULE + OPT 266



OPT (5+107 OR 6+107 OR 100A+107) + 266



	Ø S mm	Ø S1 mm	Ø S2 mm
30XB(P) 250 300 350	141.3	141.3	114.3

