












F



	30XB 350	30XB(P) 400	30XB(P) 450
A	535	347	347
B	1357	1522	1522
Ø C	114.3	114.3	114.3
Ø D	114.3	114.3	114.3


VUE F
ECHELLE 1:32

TOLERANCE	30XB(P) 400-450	Carrier	DATE	Feuille
±10	HYDRONIC MODULE + OPTION 50		02-Feb-18	Sheet
		00DCG000279400		1/6
				Indice
				B





VUE **G**
Echelle 1:16


SUPPLIED WITH THE UNIT





TOLERANCE	30XB(P) 400-450		DATE	Feuille
±10	HYDRONIC MODULE + OPTION 50		02-Feb-18	Sheet
		00DCG000279400		2/6
				Indice
				B



	30XB(P)-0400	30XB(P)-0450
X	2406	2370
Y	1149	1136
Z	637	628




DETAIL B




ELECTRICAL BOX: POWER CONNECTION

A100
30XB(P) 400 - 450


OPT 266




OPT 266+100C



OPT 266+107




OPT 266+100C+107




	$\varnothing S$ mm	$\varnothing S1$ mm	$\varnothing S2$ mm
30XB 350 30XB(P) 400-450	141.3	141.3	114.3

TOLERANCE	30XB(P) 400-450		DATE	Feuille
± 10	HYDRONIC MODULE + OPTION 50		02-Feb-18	Sheet
		00DCG000279400		4/6
				Indice
				B


OPT (5 OR 6 OR 100A) + 266



HYDRONIC MODULE + OPT 266



OPT (5+107 OR 6+107 OR 100A+107) + 266



	Ø S mm	Ø S1 mm	Ø S2 mm
30XB 350 30XB(P) 400-450	141.3	141.3	114.3

TOLERANCE	30XB(P) 400-450		DATE	Feuille
±10	HYDRONIC MODULE + OPTION 50	00DCG000279400	02-Feb-18	Sheet
				5/6
				Indice
				B

