



OPT-50/49



TOLERANCE ±10	30KAV 0600/0650 30KAVZE 0450/0500	Carrier	DATE 10-May-19	Feuille Sheet 1/6
				Indice A




00DCG000355200

OPT-50/49+325




TOUTES LES DIMENSIONS SONT EN MM / ALL THE DIMENSIONS ARE IN MM

UNITS	OPTIONS	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S	T	ØA1	ØA2	ØA3	ØA4
30KAV 0600 30KAVZE 0450	OPT 50	621	2363	2783	1591	371	519	271	430	271	430	448	242	NA	NA	NA	NA	NA	NA	168.3	114.3	NA	NA
	OPT 49	1058	2363	2783	1591	371	519	271	430	271	430	448	242	NA	NA	NA	NA	NA	NA	168.3	114.3	NA	NA
	OPT 50+325	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	353	1042	271	226	798	252	NA	NA	139.7	168.3
	OPT 49+325	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	790	1042	271	226	798	252	NA	NA	139.7	168.3
30KAV 0650 30KAVZE 0500	OPT 50	621	2363	2783	1591	371	519	271	430	271	430	448	242	NA	NA	NA	NA	NA	NA	168.3	114.3	NA	NA
	OPT 49	1058	2363	2783	1591	371	519	271	430	271	430	448	242	NA	NA	NA	NA	NA	NA	168.3	114.3	NA	NA
	OPT 50+325	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	353	1042	271	226	798	252	NA	NA	139.7	168.3
	OPT 49+325	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	790	1042	271	226	798	252	NA	NA	139.7	168.3




DETAIL A




UNITS	OPTIONS	X	Y	Z
30KAV 0600 30KAVZE 0450	OPT 50/49	2922	1094	665
	OPT 50/49+325	3019	1094	662
30KAV 0650 30KAVZE 0500	OPT 50/49	2922	1094	665
	OPT 50/49+325	3019	1094	662

ELECTRICAL BOX : POWER CONNECTION


STANDARD



VUE / VIEW A




VUE / VIEW B




VUE / VIEW C


OPTION 70D



VUE / VIEW A



VUE / VIEW B



VUE / VIEW C

