










DETAIL SOUPE (5) & (9)
1/2" G MALE



DETAIL A
Echelle 29:320


TOLERANCE	30RB-30RBP 610R -----> 720R
±10	OPT 116

Carrier	DATE 16-Sep-22	Feuille Sheet 1/6
00DCG000378600	Indice F	





DETAIL D
ECHELLE 19:320

VICTAULIC 5"




SIZE	OPTION	A (mm)	B (mm)	C (mm)
610R-670R-720R	116V	416	355	258
	116W	343	26	250


TAILLE 610R
SIZE 610R




TOLERANCE	30RB-30RBP 610R -----> 720R		DATE	Feuille Sheet 2/6
±10	OPT 116	00DCG000378600	16-Sep-22	Indice F




P1 a P10
P1 to P10



X (mm)	Y (mm)	Z (mm)
2918±170	943±45	822±30





ECHELLE 11:160





DETAIL G
ECHELLE 1:4

STANDARD



OPT 266

SIZE	OPTION	D (mm)	E (mm)	F (mm)
610R-670R-720R	116V	416	252	258
	116W	343	77	250



TOLERANCE ±10	30RB-30RBP 610R -----> 720R OPT 116	 00DCG000378600	DATE 16-Sep-22	Feuille Sheet 5/6 Indice F

