






15 POWER AND CONTROL ELECTRICAL BOX




Ø141.3
VICTAULIC STYLE 75



Ø141.3
VICTAULIC STYLE 75





DETAIL SOUPAPE 5





DETAIL SOUPAPE 9

TOLERANCE	30XBE0250-0300-0350	DATE	20-Aug-20	Feuille Sheet 1/8
±10	*	00DCG000407800	A	Indice



OPTION 100A OR OPTION 5 OR OPTION 6



OPTION 100A + 107 OR OPTION 5 + 107 OR OPTION 6 + 107




OPTION 107



OPTION 100C


OPTION 107





Ø141.3
VICTAULIC STYLE 75



OPTION 107

Ø141.3
VICTAULIC STYLE 75






ELECTRICAL BOX: POWER CONNECTION


A100

TOLERANCE	30XBE0250-0300-0350		DATE	Feuille Sheet 5/8
±10	*	00DCG000407800	20-Aug-20	Indice A


OPT 266




OPT 266+100C



OPT 266+107




OPT 266+100C+107




	$\varnothing S$ mm	$\varnothing S1$ mm	$\varnothing S2$ mm
30XBE			
0250	141.3	141.3	114.3
0300			
0350			


OPT (5 OR 6 OR 100A) + 266



HYDRONIC MODULE + OPT 266



OPT (5+107 OR 6+107 OR 100A+107) + 266



	Ø S mm	Ø S1 mm	Ø S2 mm
30XBE			
0250	141.3	141.3	114.3
0300			
0350			

