








DETAIL SOUPAPE 5

TOLERANCE	30XBE0400-0450 OPT 254/255		DATE	Feuille Sheet 1/7 Indice
±10	30XBE0500		20-Aug-20	
		00DCG000407900		A



OPTION 100A

OR

OPTION 5

OR

OPTION 6





OPTION 100A + 107

OR



OPTION 5 + 107

OR



OPTION 6 + 107





OPTION 107




OPTION 100C







	30XBE0400	30XBE0450
X	2528	2506
Y	1117	1094
Z	678	675




DETAIL B




A100
30XBE0400-0450

TOLERANCE ±10	30XBE0400-0450 OPT 254/255		DATE	Feuille Sheet 4/7
	30XBE0500		20-Aug-20	Indice A
00DCG000407900				


OPT 266




OPT 266+100C



OPT 266+107




OPT 266+100C+107




	$\varnothing S$ mm	$\varnothing S1$ mm	$\varnothing S2$ mm
30XBE0400-0450	141.3	141.3	114.3

TOLERANCE	30XBE0400-0450 OPT 254/255		DATE	Feuille
±10	30XBE0500	00DCG000407900	20-Aug-20	Sheet
				5/7
				Indice
				A


OPT (5 OR 6 OR 100A) + 266



HYDRONIC MODULE + OPT 266



OPT (5+107 OR 6+107 OR 100A+107) + 266



	ØS mm	ØS1 mm	ØS2 mm
30XBE0400-0450	141.3	141.3	114.3

TOLERANCE	30XBE0400-0450 OPT 254/255		DATE	Feuille Sheet 6/7
±10	30XBE0500		20-Aug-20	Indice
00DCG000407900			A	

