





15 POWER AND CONTROL ELECTRICAL BOX







F
(VOIR F.3
SEE SHEET 3)



Ø141.3
VICTAULIC STYLE 75



Ø141.3
VICTAULIC STYLE 75



TOLERANCE
±10


30XBE0250-0300-0350
OPTION 50

Carrier



DATE
20-Aug-20

00DCG000408600

Feuille
Sheet
1/6
Indice
A




SUPPLIED WITH THE UNIT






VUE **F**
ECHELLE 1:16

TOLERANCE	30XBE0250-0300-0350		DATE	Feuille Sheet 2/6 Indice
±10	OPTION 50		20-Aug-20	
		00DCG000408600		A




	30XBE0250	30XBE0300	30XBE0350
X	1980	1981	1975
Y	1064	1063	1062
Z	700	698	696




ELECTRICAL BOX: POWER CONNECTION

A100


OPT 266




OPT 266+100C



OPT 266+107




OPT 266+100C+107




	$\varnothing S$ mm	$\varnothing S1$ mm	$\varnothing S2$ mm
30XBE			
0250	141.3	141.3	114.3
0300			
0350			


OPT (5 OR 6 OR 100A) + 266



HYDRONIC MODULE + OPT 266



OPT (5+107 OR 6+107 OR 100A+107) + 266



	$\varnothing S$ mm	$\varnothing S1$ mm	$\varnothing S2$ mm
30XBE			
0250	141.3	141.3	114.3
0300			
0350			

TOLERANCE	30XBE0250-0300-0350		DATE	Feuille
±10	OPTION 50		20-Aug-20	Sheet
		00DCG000408600		5/6
				Indice
				A

