










TOLERANCE ±10	30XBE0400-0450-0500 OPTION 50	 00DCG000408700	DATE 20-Aug-20	Feuille Sheet 1/6 Indice A



VUE **F**
ECHELLE 1:16





TOLERANCE	30XBE0400-0450-0500		DATE	Feuille
± 10	OPTION 50		20-Aug-20	Sheet
		00DCG000408700		2/6
				Indice
				A



DETAIL B

	30XBE0400	30XBE0450	30XBE0500
X	2580	2579	2579
Y	1095	1070	1070
Z	707	720	720




ELECTRICAL BOX: POWER CONNECTION


A100
30XBE0400-0450-0500

TOLERANCE	30XBE0400-0450-0500		DATE	Feuille Sheet 3/6
±10	OPTION 50		20-Aug-20	Indice
		00DCG000408700		A


OPT 266




OPT 266+100C



OPT 266+107




OPT 266+100C+107




	$\varnothing S$ mm	$\varnothing S1$ mm	$\varnothing S2$ mm
30XBE0400-0450-0500	141.3	141.3	114.3

TOLERANCE	30XBE0400-0450-0500		DATE	Feuille Sheet 4/6
± 10	OPTION 50		20-Aug-20	
		00DCG000408700		Indice A


OPT (5 OR 6 OR 100A) + 266



HYDRONIC MODULE + OPT 266



OPT (5+107 OR 6+107 OR 100A+107) + 266



	ØS mm	ØS1 mm	ØS2 mm
30XBE0400-0450-0500	141.3	141.3	114.3

TOLERANCE	30XBE0400-0450-0500		DATE	Feuille
±10	OPTION 50		20-Aug-20	Sheet
		00DCG000408700		5/6
				Indice
				A

