









F
(VOIR F.3
SEE SHEET 3)



DETAIL SOUPAPE 5



DETAIL SOUPAPE 9



TOLERANCE
±10



30XBE0500
OPTION 50




DATE
20-Aug-20

00DCG000408800

Feuille
Sheet
1/7
Indice
A



VUE **F**
Echelle 1:16




TOLERANCE	30XBE0500		DATE	Feuille Sheet 2/7 Indice
±10	OPTION 50		20-Aug-20	
		00DCG000408800		A

OPTION 100A


OPTION 107



Ø 114,3
VICTAULIC
STYLE 75





OPTION 107

Ø 114,3
VICTAULIC
STYLE 75





	30XBE0500
X	3150
Y	1075
Z	738




ELECTRICAL BOX: POWER CONNECTION


A100

TOLERANCE	30XBE0500		DATE	Feuille Sheet 4/7
± 10	OPTION 50		20-Aug-20	
		00DCG000408800	Indice	A


OPT 266




OPT 266:100C



OPT 266:107




OPT 266:100C+107




	$\varnothing S$ mm	$\varnothing S1$ mm	$\varnothing S2$ mm
30XBE0500	141.3	141.3	114.3

TOLERANCE	30XBE0500	 00DCG000408800	DATE 20-Aug-20	Feuille Sheet 5/7 Indice A
± 10	OPTION 50			


OPT (5 OR 6 OR 100A) + 266



HYDRONIC MODULE + OPT 266



OPT (5+107 OR 6+107 OR 100A+107) + 266



	Ø S mm	Ø S1 mm	Ø S2 mm
30XBE0500	141.3	141.3	114.3

TOLERANCE	30XBE0500		DATE	Feuille Sheet 6/7
±10	OPTION 50		20-Aug-20	Indice
			00DCG000408800	A

