





15 POWER AND CONTROL ELECTRICAL BOX




G
(VOIR F.3
SEE SHEET 3)





F



DETAIL SOUPAPE 5





DETAIL SOUPAPE 9




VUE F
ECHELLE 1:16



	30XBE0250		30XBE0300		30XBE0350	
	116B/116C	116F/116G	116B/116C	116F/116G	116B/116C	116F/116G
A	307	331	282	331	282	364
B	885	861	910	861	910	828





VUE **G**
Echelle 1:16



TOLERANCE	30XBE0250-0300-0350		DATE	Feuille
±10	HYDRONIC MODULE + OPT 50		20-Aug-20	Sheet
		00DCG000409100		2/6
				Indice
				A




	30XBE0250	30XBE0300	30XBE0350
X	1879	1859	1854
Y	1108	1119	1117
Z	637	633	631




A100
ELECTRICAL BOX: POWER CONNECTION


OPT 266




OPT 266+100C



OPT 266+107




OPT 266+100C+107




	Ø S mm	Ø S1 mm	Ø S2 mm
30XBE			
250	141.3	141.3	114.3
300			
350			


OPT (5 OR 6 OR 100A) + 266



HYDRONIC MODULE + OPT 266



OPT (5+107 OR 6+107 OR 100A+107) + 266



	Ø S mm	Ø S1 mm	Ø S2 mm
30XBE			
250	141.3	141.3	114.3
300			
350			

