










DETAIL SOUPAPE 5





DETAIL SOUPAPE 9




VUE F
ECHELLE 1:32

TOLERANCE	30XBE0500	Carrier	DATE	Feuille
±10	HYDRONIC MODULE + OPTION 50	00DCG000409300	20-Aug-20	Sheet
				1/6
				Indice
				A





VUE **G**
ECHELLE 1:16



SUPPLIED WITH THE UNIT



TOLERANCE	30XBE0500		DATE	Feuille
±10	HYDRONIC MODULE + OPTION 50		20-Aug-20	Sheet
		00DCG000409300		2/6
				Indice
				A




	30XBE0500
X	2957
Y	1140
Z	650




ELECTRICAL BOX: POWER CONNECTION

A100


OPT 266




OPT 266:100C



OPT 266:107




OPT 266:100C+107




	$\varnothing S$ mm	$\varnothing S1$ mm	$\varnothing S2$ mm
30XBE0500	141.3	141.3	114.3

TOLERANCE	30XBE0500		DATE	Feuille
± 10	HYDRONIC MODULE + OPTION 50		20-Aug-20	Sheet
		00DCG000409300		4/6
				Indice
				A


OPT (5 OR 6 OR 100A) + 266



HYDRONIC MODULE + OPT 266



OPT (5+107 OR 6+107 OR 100A+107) + 266



	Ø S mm	Ø S1 mm	Ø S2 mm
30XBE0500	141.3	141.3	114.3

TOLERANCE	30XBE0500		DATE	Feuille
±10	HYDRONIC MODULE + OPTION 50		20-Aug-20	Sheet
		00DCG000409300		5/6
				Indice
				A

