








* FOR MAINTENANCE, IF THE DISTANCE IS BELOW 500 mm, THE EXTRACTION OF THE FINAL COILS BETWEEN MODULES IS CARRIED OUT BY DISMOUNTING THE ROOF OF COVER OF THE MODULE CORRESPONDING "V" COILS.




MODULE 1




OPTION 107



OPTION 107





DETAIL SOUPEPE 5




DETAIL SOUPEPE 9

TOLERANCE ± 10	30XBE1700		DATE 20-Aug-20	Feuille Sheet 2/12 Indice A
	MODULE 1&2		00DCG000409400	

MODULE 2




OPTION 107 Ø168.3 Victaulic style 75



OPTION 107



Ø168.3 Victaulic style 75

SPACE REQUIRED BETWEEN
MODULE 1 AND MODULE 2 FOR
COILS SERVICE



TOLERANCE
±10

30XBE1700
MODULE 1&2



! THIS AREA IS CLOGGED BY SUCTION LINE.

MODULE 2


OPTION 100A

OR

OPTION 5

OR

OPTION 6



MODULE 2


OPTION 100A + 107

OR

OPTION 5 + 107

OR

OPTION 6 + 107



TOLERANCE
±10

30XBE1700
MODULE 1&2

Carrier


DATE
20-Aug-20

00DCG000409400

Feuille
Sheet
5/12
Indice
A


MODULE 1

OPTION 006 + 257 + 281




MODULE 2



OPTION 006 + 257 + 281





TOLERANCE	30XBE1700		DATE	Feuille
±10	MODULE 1&2		20-Aug-20	Sheet
		00DCG000409400		6/12
				Indice
				A



MODULE - 1&2	
	30XBE1700
X	3635
Y	1172
Z	803



MODULE #1 & 2




A400

ELECTRICAL BOX: POWER CONNECTION

TOLERANCE	30XBE1700
±10	MODULE 1&2

	DATE	Feuille Sheet 7/12 Indice
	20-Aug-20	
00DCG000409400		A


OPT 266



TOLERANCE	30XBE1700		DATE	Feuille Sheet 8/12
±10	MODULE 1&2		20-Aug-20	Indice
		00DCG000409400		A


OPT 266+107

MODULE #1



OPT 266+107


MODULE #2



TOLERANCE	30XBE1700		DATE	Feuille Sheet 9/12
±10	MODULE 1&2		20-Aug-20	
		00DCG000409400		A


OPT (5 OR 6 OR 100A) + 266

MODULE #1




OPT (5 OR 6 OR 100A) + 266

MODULE #2




OPT (5+107 OR 6+107 OR 100A+107) + 266

MODULE #1



OPT (5+107 OR 6+107 OR 100A+107) + 266

MODULE #2



TOLERANCE	30XBE1700		DATE	Feuille Sheet 11/12
±10	MODULE 1&2		20-Aug-20	Indice
		00DCG000409400		A

