









DETAIL SOUPAPE 9






DETAIL SOUPAPE 5



	30XBE1100 OPT 119	30XBE1200	30XBE1300	30XBE1400
A	3263	3263	2807	2807
B	3488	3488	3944	3944
D	2865	2865	2409	2409

TOLERANCE	30XBE1100-1200-1300-1400		DATE	Feuille Sheet 1/6
±10	30XBE1100 OPT 119		20-Aug-20	Indice
		00DCG000409500		A





100 A	30XBE(P)1100 30XBE1100 OPT 119	30XBE(P)1200	30XBE(P)1300	30XBE(P)1400
D	2865	2865	2409	2409




100 A + 107	30XBE1100 OPT 119	30XBE1200	30XBE1300	30XBE1400
D	2943	2943	2487	2487

TOLERANCE	30XBE1100-1200-1300-1400		DATE	Feuille Sheet 2/6
±10	30XBE1100 OPT 119	00DCG000409500	20-Aug-20	Indice A


	30XBE1100 OPT 119	30XBE1200	30XBE1300	30XBE1400
X	5753	5686	5316	5306
Y	1020	1056	1043	1045
Z	806	835	841	839



CONFIGURATION - 1




CONFIGURATION - 2




ELECTRICAL BOX: POWER CONNECTION
30XBE1100/1200/1300/1400
30XBE1100 OPT 119

OPT 266



	Ø S mm	Ø S1 mm
30XBE1100-1200-1300-1400 30XBE1100 OPT 119	168.3	168.3


OPT 266:107



	A	B
30XBE1100-1200 30XBE1100 OPT 119	4695	2763
30XBE1300-1400	4695	2307


TOLERANCE	30XBE1100-1200-1300-1400		DATE	Feuille
±10	30XBE1100 OPT 119	00DCG000409500	20-Aug-20	Sheet
				4/6
				Indice
				A

OPT (5 OR 6 OR 100A) + 266



	Ø S2 mm	Ø S3 mm
30XBE1100-1200-1300-1400 30XBE1100 OPT 119	168.3	168.3

OPT (5+107 OR 6+107 OR 100A+107) + 266



	A	B	C	D
30XBE1100-1200 30XBE1100 OPT 119	4875	2763	4695	2943
30XBE1300-1400	4875	2307	4695	2487

TOLERANCE ±10	30XBE1100-1200-1300-1400	 00DCG000409500	DATE 20-Aug-20	Feuille Sheet 5/6 Indice A
	30XBE1100 OPT 119			

