




42NC/ND UNIT SIZE – 4 LEFT




STANDARD UNIT DIMENSIONS





42NC/ND UNIT FAMILY TYPES

Family Types		
Type name:		
Search parameters		
Parameter	Value	Formula
Visibility		
2 WAY AUTO-BALANCING VALVE - G1/2"	☐	=
2 WAY VALVE - G1/2"	☐	=
4 WAY VALVE - G1/2"	☐	=
2 WAY AUTO-BALANCING VALVE - G3/4"	☐	=
2 WAY VALVE - G3/4"	☐	=
4 WAY VALVE - G3/4"	☐	=
COIL 42NCND - G1/2"	☐	=
COIL 42NC/ND 2PIPE - G1/2"	☐	=
COIL 42NC/ND 4PIPE - G1/2"	☐	=
COIL 42NCND - G3/4"	☐	=
COIL 42NCND 2 PIPE - G3/4"	☐	=
COIL 42NCND 4 PIPE - G3/4"	☐	=
RECTANGULAR FLANGE	☐	=
SUPPORT BASE FOR CONCEALED UNIT	☐	=
VERTICAL CONDENSATE PUMP	☐	=
CABINET WITH GRILL	☐	=
CABINET WITHOUT GRILL	☐	=
FEET WITH GRILL	☐	=
FEET WITHOUT GRILL	☐	=
HORIZONTAL CONDENSATE PUMP	☐	=
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
NO CABINET	☐	=
NO FEET	☐	=
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
SERVICE AREA (Default)	☐	=

CABINET WITH FEET UNIT DIMENSIONS




CABINET WITHOUT FEET UNIT DIMENSIONS




LIFTING BRACKET DIMENSIONS




42NC/ND UNIT 4 PIPE – ½" GAZ




42NC/ND UNIT 2 PIPE – ½" GAZ




42NC/ND UNIT 4 PIPE




42NC/ND UNIT 2 PIPE – $\frac{3}{4}$ " GAZ




42NC/ND UNIT ELECTRICAL CONNECTION




ELECTRICAL CONNECTION




2 WAY VALVE WITH ON/OFF ACTUATOR 230V or 24V – G1/2"




2 WAY VALVE WITH ON/OFF ACTUATOR 230V or 24V – G3/4"




4 WAY VALVE WITH ON/OFF ACTUATOR 230V or 24V – G1/2"




4 WAY VALVE WITH ON/OFF ACTUATOR 230V or 24V – G3/4




2 WAY AUTO-BALANCING VALVE WITH ACTUATOR – G1/2"





2 WAY AUTO-BALANCING VALVE WITH ACTUATOR – G3/4"






CONDENSATE PUMP FOR VERTICAL UNIT



CONDENSATE PUMP



CONDENSATE PUMP FOR HORIZONTAL UNIT



CONDENSATE PUMP

WITH CABINET - WITHOUT FEET




Family Types

Type name:

Search parameters


Parameter	Value	Formula
Visibility		
2 WAY AUTO-BALANCING VALVE - G1/2"	☐	"
2 WAY VALVE - G1/2"	☐	"
4 WAY VALVE - G1/2"	☐	"
2 WAY AUTO-BALANCING VALVE - G3/4"	☐	"
2 WAY VALVE - G3/4"	☐	"
4 WAY VALVE - G3/4"	☐	"
COIL 42NCND - G1/2"	☐	"
COIL 42NC/ND 2PIPE - G1/2"	☐	"
COIL 42NC/ND 4PIPE - G1/2"	☐	"
COIL 42NCND - G3/4"	☐	"
COIL 42NCND 2 PIPE - G3/4"	☐	"
COIL 42NCND 4 PIPE - G3/4"	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☐	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☐	"
CABINET WITHOUT GRILL	☒	"
FEET WITH GRILL	☐	"
FEET WITHOUT GRILL	☐	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
NO CABINET	☐	"
NO FEET	☒	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
SERVICE AREA (Default)	☐	"




WITH CABINET - WITH FEET



Family Types		
Type name:		
Search parameters		
Parameter	Value	Formula
Visibility		
2 WAY AUTO-BALANCING VALVE - G1/2"	☐	"
2 WAY VALVE - G1/2"	☐	"
4 WAY VALVE - G1/2"	☐	"
2 WAY AUTO-BALANCING VALVE - G3/4"	☐	"
2 WAY VALVE - G3/4"	☐	"
4 WAY VALVE - G3/4"	☐	"
COIL 42NCND - G1/2"	☐	"
COIL 42NC/ND 2PIPE - G1/2"	☐	"
COIL 42NC/ND 4PIPE - G1/2"	☐	"
COIL 42NCND - G3/4"	☐	"
COIL 42NCND 2 PIPE - G3/4"	☐	"
COIL 42NCND 4 PIPE - G3/4"	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☐	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☐	"
CABINET WITHOUT GRILL	☒	"
FEET WITH GRILL	☐	"
FEET WITHOUT GRILL	☒	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
NO CABINET	☐	"
NO FEET	☐	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
SERVICE AREA (Default)	☐	"



WITH CABINET – FEET WITH GRILL




Family Types


Type name:

Search parameters

Parameter	Value	Formula
Visibility		
2 WAY AUTO-BALANCING VALVE - G1/2"	☐	"
2 WAY VALVE - G1/2"	☐	"
4 WAY VALVE - G1/2"	☐	"
2 WAY AUTO-BALANCING VALVE - G3/4"	☐	"
2 WAY VALVE - G3/4"	☐	"
4 WAY VALVE - G3/4"	☐	"
COIL 42NCND - G1/2"	☐	"
COIL 42NC/ND 2PIPE - G1/2"	☐	"
COIL 42NC/ND 4PIPE - G1/2"	☐	"
COIL 42NCND - G3/4"	☐	"
COIL 42NCND 2 PIPE - G3/4"	☐	"
COIL 42NCND 4 PIPE - G3/4"	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☐	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☐	"
CABINET WITHOUT GRILL	☒	"
FEET WITH GRILL	☒	"
FEET WITHOUT GRILL	☐	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
NO CABINET	☐	"
NO FEET	☐	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
SERVICE AREA (Default)	☐	"




CABINET WITH GRILL – WITHOUT FEET




Family Types		
Type name:		
Search parameters		
Parameter	Value	Formula
Visibility		
2 WAY AUTO-BALANCING VALVE - G1/2"	☐	10
2 WAY VALVE - G1/2"	☐	10
4 WAY VALVE - G1/2"	☐	10
2 WAY AUTO-BALANCING VALVE - G3/4"	☐	10
2 WAY VALVE - G3/4"	☐	10
4 WAY VALVE - G3/4"	☐	10
COIL 42NCND - G1/2"	☐	10
COIL 42NC/ND 2PIPE - G1/2"	☐	10
COIL 42NC/ND 4PIPE - G1/2"	☐	10
COIL 42NCND - G3/4"	☐	10
COIL 42NCND 2 PIPE - G3/4"	☐	10
COIL 42NCND 4 PIPE - G3/4"	☒	10
RECTANGULAR FLANGE	☐	10
SUPPORT BASE FOR CONCEALED UNIT	☐	10
VERTICAL CONDENSATE PUMP	☐	10
CABINET WITH GRILL	☒	10
CABINET WITHOUT GRILL	☐	10
FEET WITH GRILL	☐	10
FEET WITHOUT GRILL	☐	10
HORIZONTAL CONDENSATE PUMP	☐	10
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	10
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	10
NO CABINET	☐	10
NO FEET	☒	10
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	10
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	10
SERVICE AREA (Default)	☐	10


WITHOUT CABINET – WITHOUT FEET




Family Types		
Type name:		
Search parameters		
Parameter	Value	Formula
Visibility		
2 WAY AUTO-BALANCING VALVE - G1/2"	☐	"
2 WAY VALVE - G1/2"	☐	"
4 WAY VALVE - G1/2"	☐	"
2 WAY AUTO-BALANCING VALVE - G3/4"	☐	"
2 WAY VALVE - G3/4"	☐	"
4 WAY VALVE - G3/4"	☐	"
COIL 42NCND - G1/2"	☐	"
COIL 42NC/ND 2PIPE - G1/2"	☐	"
COIL 42NC/ND 4PIPE - G1/2"	☐	"
COIL 42NCND - G3/4"	☐	"
COIL 42NCND 2 PIPE - G3/4"	☐	"
COIL 42NCND 4 PIPE - G3/4"	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☐	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☐	"
CABINET WITHOUT GRILL	☐	"
FEET WITH GRILL	☐	"
FEET WITHOUT GRILL	☐	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
NO CABINET	☒	"
NO FEET	☒	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
SERVICE AREA (Default)	☐	"




WITHOUT CABINET – WITH FEET



Family Types		
Type name:		
Search parameters		
Parameter	Value	Formula
Visibility		
2 WAY AUTO-BALANCING VALVE - G1/2"	☐	"
2 WAY VALVE - G1/2"	☐	"
4 WAY VALVE - G1/2"	☐	"
2 WAY AUTO-BALANCING VALVE - G3/4"	☐	"
2 WAY VALVE - G3/4"	☐	"
4 WAY VALVE - G3/4"	☐	"
COIL 42NCND - G1/2"	☐	"
COIL 42NC/ND 2PIPE - G1/2"	☐	"
COIL 42NC/ND 4PIPE - G1/2"	☐	"
COIL 42NCND - G3/4"	☐	"
COIL 42NCND 2 PIPE - G3/4"	☐	"
COIL 42NCND 4 PIPE - G3/4"	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☐	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☐	"
CABINET WITHOUT GRILL	☐	"
FEET WITH GRILL	☐	"
FEET WITHOUT GRILL	☒	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
NO CABINET	☒	"
NO FEET	☐	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
SERVICE AREA (Default)	☐	"



WITHOUT CABINET – BASE SUPPORT




Family Types


Type name:

Search parameters

Parameter	Value	Formula
Visibility		
2 WAY AUTO-BALANCING VALVE - G1/2"	☐	"
2 WAY VALVE - G1/2"	☐	"
4 WAY VALVE - G1/2"	☐	"
2 WAY AUTO-BALANCING VALVE - G3/4"	☐	"
2 WAY VALVE - G3/4"	☐	"
4 WAY VALVE - G3/4"	☐	"
COIL 42NCND - G1/2"	☐	"
COIL 42NC/ND 2PIPE - G1/2"	☐	"
COIL 42NC/ND 4PIPE - G1/2"	☐	"
COIL 42NCND - G3/4"	☐	"
COIL 42NCND 2 PIPE - G3/4"	☐	"
COIL 42NCND 4 PIPE - G3/4"	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☒	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☐	"
CABINET WITHOUT GRILL	☐	"
FEET WITH GRILL	☐	"
FEET WITHOUT GRILL	☐	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
NO CABINET	☒	"
NO FEET	☒	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
SERVICE AREA (Default)	☐	"



WITHOUT CABINET – I CONFIGURATION – Ø200mm VIROLE




Family Types


Type name:

Search parameters

Parameter	Value	Formula
Visibility		
2 WAY AUTO-BALANCING VALVE - G1/2"	☐	"
2 WAY VALVE - G1/2"	☐	"
4 WAY VALVE - G1/2"	☐	"
2 WAY AUTO-BALANCING VALVE - G3/4"	☐	"
2 WAY VALVE - G3/4"	☐	"
4 WAY VALVE - G3/4"	☐	"
COIL 42NCND - G1/2"	☐	"
COIL 42NC/ND 2PIPE - G1/2"	☐	"
COIL 42NC/ND 4PIPE - G1/2"	☐	"
COIL 42NCND - G3/4"	☐	"
COIL 42NCND 2 PIPE - G3/4"	☐	"
COIL 42NCND 4 PIPE - G3/4"	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☒	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☐	"
CABINET WITHOUT GRILL	☐	"
FEET WITH GRILL	☐	"
FEET WITHOUT GRILL	☐	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☒	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
NO CABINET	☒	"
NO FEET	☒	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☒	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
SERVICE AREA (Default)	☐	"



WITHOUT CABINET – U CONFIGURATION Ø200mm VIROLE (COIL SIDE)




Family Types


Type name:

Search parameters

Parameter	Value	Formula
Visibility		
2 WAY AUTO-BALANCING VALVE - G1/2"	☐	"
2 WAY VALVE - G1/2"	☐	"
4 WAY VALVE - G1/2"	☐	"
2 WAY AUTO-BALANCING VALVE - G3/4"	☐	"
2 WAY VALVE - G3/4"	☐	"
4 WAY VALVE - G3/4"	☐	"
COIL 42NCND - G1/2"	☐	"
COIL 42NC/ND 2PIPE - G1/2"	☐	"
COIL 42NC/ND 4PIPE - G1/2"	☐	"
COIL 42NCND - G3/4"	☐	"
COIL 42NCND 2 PIPE - G3/4"	☐	"
COIL 42NCND 4 PIPE - G3/4"	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☒	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☐	"
CABINET WITHOUT GRILL	☐	"
FEET WITH GRILL	☐	"
FEET WITHOUT GRILL	☐	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☒	"
NO CABINET	☒	"
NO FEET	☒	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☒	"
SERVICE AREA (Default)	☐	"



WITHOUT CABINET – OUTLET PLENUM Ø200mm VIROLE




Family Types



Type name:

Search parameters

Parameter	Value	Formula
Visibility		
2 WAY AUTO-BALANCING VALVE - G1/2"	☐	
2 WAY VALVE - G1/2"	☐	
4 WAY VALVE - G1/2"	☐	
2 WAY AUTO-BALANCING VALVE - G3/4"	☐	
2 WAY VALVE - G3/4"	☐	
4 WAY VALVE - G3/4"	☐	
COIL 42NCND - G1/2"	☐	
COIL 42NC/ND 2PIPE - G1/2"	☐	
COIL 42NC/ND 4PIPE - G1/2"	☐	
COIL 42NCND - G3/4"	☐	
COIL 42NCND 2 PIPE - G3/4"	☐	
COIL 42NCND 4 PIPE - G3/4"	☒	
RECTANGULAR FLANGE	☐	
SUPPORT BASE FOR CONCEALED UNIT	☒	
VERTICAL CONDENSATE PUMP	☐	
CABINET WITH GRILL	☐	
CABINET WITHOUT GRILL	☐	
FEET WITH GRILL	☐	
FEET WITHOUT GRILL	☐	
HORIZONTAL CONDENSATE PUMP	☐	
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	
NO CABINET	☒	
NO FEET	☒	
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☒	
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	
SERVICE AREA (Default)	☐	



WITHOUT FEET – RECTANGULAR FLANGE



Family Types		
Type name:		
Search parameters		
Parameter	Value	Formula
Visibility		
2 WAY AUTO-BALANCING VALVE - G1/2"	☐	
2 WAY VALVE - G1/2"	☐	
4 WAY VALVE - G1/2"	☐	
2 WAY AUTO-BALANCING VALVE - G3/4"	☐	
2 WAY VALVE - G3/4"	☐	
4 WAY VALVE - G3/4"	☐	
COIL 42NCND - G1/2"	☐	
COIL 42NC/ND 2PIPE - G1/2"	☐	
COIL 42NC/ND 4PIPE - G1/2"	☐	
COIL 42NCND - G3/4"	☐	
COIL 42NCND 2 PIPE - G3/4"	☐	
COIL 42NCND 4 PIPE - G3/4"	☒	
RECTANGULAR FLANGE	☒	
SUPPORT BASE FOR CONCEALED UNIT	☐	
VERTICAL CONDENSATE PUMP	☐	
CABINET WITH GRILL	☐	
CABINET WITHOUT GRILL	☐	
FEET WITH GRILL	☐	
FEET WITHOUT GRILL	☒	
HORIZONTAL CONDENSATE PUMP	☐	
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	
NO CABINET	☒	
NO FEET	☒	
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	
SERVICE AREA (Default)	☐	

SERVICE AREA




Family Types

Type name:

Search parameters

Parameter	Value	Formula
Visibility		
2 WAY AUTO-BALANCING VALVE - G1/2"	☐	
2 WAY VALVE - G1/2"	☐	
4 WAY VALVE - G1/2"	☐	
2 WAY AUTO-BALANCING VALVE - G3/4"	☐	
2 WAY VALVE - G3/4"	☐	
4 WAY VALVE - G3/4"	☐	
COIL 42NCND - G1/2"	☐	
COIL 42NC/ND 2PIPE - G1/2"	☐	
COIL 42NC/ND 4PIPE - G1/2"	☐	
COIL 42NCND - G3/4"	☐	
COIL 42NCND 2 PIPE - G3/4"	☐	
COIL 42NCND 4 PIPE - G3/4"	☒	
RECTANGULAR FLANGE	☐	
SUPPORT BASE FOR CONCEALED UNIT	☐	
VERTICAL CONDENSATE PUMP	☐	
CABINET WITH GRILL	☐	
CABINET WITHOUT GRILL	☐	
FEET WITH GRILL	☐	
FEET WITHOUT GRILL	☒	
HORIZONTAL CONDENSATE PUMP	☐	
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	
NO CABINET	☒	
NO FEET	☒	
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	
SERVICE AREA (Default)	☒	



A	B	C
150	210	100