


Revit Family file
30RB-RBP310R-TO-410R


AIR COOLED CHILLER

30RB-RBP310R-TO-410R


30RB-RBP Revit Family




Front View




Side View



30RB-RBP Revit Family




Top View




30RB-RBP Revit Family in Project Environment

30RB-RBP310R-TO-410R


30RB-RBP Revit Family with Buffer Tank




Front View




Side View



30RB-RBP Revit Family





Top View



30RB-RBP Revit Family in Project Environment

30RB-RBP310R-TO-410R



Model No: 310R-340R-380R-410R
Overall Dimensions



All Dimensions are in mm
Tolerance ± 10

30RB-RBP310R-TO-410R

Model No: 310R-340R-380R-410R
Overall Dimensions with Buffer Tank



All Dimensions are in mm
Tolerance ± 10

30RB-RBP Revit Family Latest Modification

IDENTIFY DATA EDITING

Model description details are added in the “Identify Data” parameter segment for all the revit family files. Based on the type of family, details provided (310R,340R,380R,410R,etc...).

Identity Data	
Description	Air Cooled Chillers
Manufacturer	Carrier
Model	30RB-RBP310R TO 410R
URL	http://www.carrier.com

This data will be extracted from the end MEP user whenever he/she will take Material Takeoff job or BOM preparation for the particular unit.

30RB-RBP Revit Family Latest Modification

MASS DETAILS

Mass details are added in the “Data” parameter segment for all the revit family files. Based on the type of family, details provided (310R,340R,380R,410R,etc...).

Type Properties

Family:30RB-RBP310R TO 410R

Type:30RB310R

Type Parameters

Construction

Graphics

Dimensions

Identity Data

Data	
30RB / 30RBP STD	1995 KG
30RB / 30RBP STD + Opt49	2068 KG
30RB / 30RBP STD + 15LS	2122 KG
30RB / 30RBP STD + 15LS+	2155 KG
30RB / 30RBP STD + 23	2081 KG
30RB / 30RBP STD + 116W	2162 KG
30RB / 30RBP STD + 116R	2105 KG
30RB / 30RBP STD + 116S	2162 KG
30RB / 30RBP STD + 116T	2112 KG
30RB / 30RBP STD + 116U	2178 KG
30RB / 30RBP STD + 116V	2105 KG
30RB / 30RBP STD + 293	2095 KG
30RB / 30RBP STD + 307	3007 KG

Load...

Duplicate...





Rename...

Value

30RB-RBP Revit Family Latest Modification

PIPE CONNECTORS


Depending on the type of connection pipe connectors provided for all the piping in 30RB-RBP unit.
All Coupling connection are just shown for representation purpose only.




Connectors at Inlet and Outlet Connections of the unit (Hydronic Kit, BPHE piping and Buffer Tank)

30RB-RBP310R-TO-410R


PIPE DIAMETER DETAILS




STD




Option-116 R/T/V




Option-116 U/S/W



Option-49




Option-307



Option-50(Only for 30RBP)

Size	Options/Parameters	Inlet Connector Dia	Outlet Connector Dia
30RB-RBP310R-TO-410R	STD	Ø114.3mm	Ø114.3mm
	116R	Ø114.3mm	Ø114.3mm
	116S	Ø114.3mm	Ø114.3mm
	116T	Ø114.3mm	Ø114.3mm
	116U	Ø114.3mm	Ø114.3mm
	116V	Ø114.3mm	Ø114.3mm
	116W	Ø114.3mm	Ø114.3mm
	307	Ø114.3mm	Ø114.3mm
	266 STD	Ø114.3mm	Ø114.3mm
	266-116 / 307	Ø114.3mm	Ø114.3mm
	49	Ø60.3mm	Ø60.3mm
	50(Only 30RBP)	Ø114.3mm	Ø114.3mm
	50 + 116V(Only 30RBP)	Ø114.3mm	Ø114.3mm
	305A(Only 30RBP)	Ø114.3mm	Ø114.3mm
	305B(Only 30RBP)	Ø114.3mm	Ø114.3mm
	305C(Only 30RBP)	Ø88.9mm	Ø88.9mm



Option-305A/B/C(Only for 30RBP)

Model No: 310R-340R-380R-410R

SERVICE CLEARANCE – ON/OFF

Service Clearance spaces for 30RB-RBP unit provided with the option in construction parameter to hide and unhide in the project environment.

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	☐
Option 305B	☐
Option 305C	☐
OUTLET PIPE 310R	☐
OUTLET PIPE 340R	☐
OUTLET PIPE 380R	☐
OUTLET PIPE 410R	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE 310R	☐
STD OUTLET PIPE 340R	☐
STD OUTLET PIPE 380R	☐
STD OUTLET PIPE 410R	☐
Option 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Option_307	☐
Panel SS_Free Cooling	☐
STD	☒
Compressor 310R-340R	☒
Compressor 380R-410R	☒
FB & LR Service Area	☒
FAN 380R-410R	☐
15/279A(310R-340R)	☐
15/279A (380R-410R)	☐
23	☐
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer Tank Service area	☐
Connection_307	☐
Option_12 (310R-340R)	☐
Option_12 (380R-410R)	☐
Option 266 + STD	☐
Option 266 + option 116 / 307	☐
Opt49	☐

Type Properties


Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	☐
Option 305B	☐
Option 305C	☐
OUTLET PIPE 310R	☐
OUTLET PIPE 340R	☐
OUTLET PIPE 380R	☐
OUTLET PIPE 410R	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE 310R	☐
STD OUTLET PIPE 340R	☐
STD OUTLET PIPE 380R	☐
STD OUTLET PIPE 410R	☐
Option 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Option_307	☐
Panel SS_Free Cooling	☐
STD	☒
Compressor 310R-340R	☒
Compressor 380R-410R	☒
FB & LR Service Area	☒
FAN 380R-410R	☐
15/279A(310R-340R)	☐
15/279A (380R-410R)	☐
23	☐
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer Tank Service area	☐
Connection_307	☐
Option_12 (310R-340R)	☐
Option_12 (380R-410R)	☐
Option 266 + STD	☐
Option 266 + option 116 / 307	☐
Opt49	☐

Service Clearance
LR (Left Right) Service Clearance
FB (Front Back) Service Clearance



30RB-RBP310R-TO-410R

Model No: 310R-340R-380R-410R

SERVICE CLEARANCE – ON/OFF

Service Clearance spaces for 30RB-RBP unit provided with the option in construction parameter to hide and unhide in the project environment.

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel 55_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	

Type Properties


Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel 55_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	

Service Clearance
LR (Left Right) Service Clearance
FB (Front Back) Service Clearance



Service Clearance OFF

30RB-RBP310R-TO-410R

Model No: 310R-340R-380R-410R

SERVICE CLEARANCE – ON/OFF

Service Clearance spaces for 30RB-RBP unit provided with the option in construction parameter to hide and unhide in the project environment.

type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	☐
Option 305B	☐
Option 305C	☐
OUTLET PIPE 310R	☐
OUTLET PIPE 340R	☐
OUTLET PIPE 380R	☐
OUTLET PIPE 410R	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE 310R	☐
STD OUTLET PIPE 340R	☐
STD OUTLET PIPE 380R	☐
STD OUTLET PIPE 410R	☐
Option 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Option_307	☒
Panel SS_Free Cooling	☐
STD	☒
Compressor 310R-340R	☒
Compressor 380R-410R	☒
FB & LR Service_Area	☒
FAN 380R-410R	☒
15/279A(310R-340R)	☐
15/279A (380R-410R)	☐
23	☐
OPTION 116	☒
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☒
293	☒
Buffer_Tank Service area	☒
Connection_307	☒
Option_12 (310R-340R)	☐
Option_12 (380R-410R)	☐
Option 266 + STD	☐
Option 266 + option 116 / 307	☐
Opt49	☐

type Properties


Family: 30RB-RBP310R TO 410R Load...

Type: 30RBP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	☐
Option 305B	☐
Option 305C	☐
OUTLET PIPE 310R	☐
OUTLET PIPE 340R	☐
OUTLET PIPE 380R	☐
OUTLET PIPE 410R	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE 310R	☐
STD OUTLET PIPE 340R	☐
STD OUTLET PIPE 380R	☐
STD OUTLET PIPE 410R	☐
Option 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Option_307	☒
Panel SS_Free Cooling	☐
STD	☒
Compressor 310R-340R	☒
Compressor 380R-410R	☒
FB & LR Service_Area	☒
FAN 380R-410R	☒
15/279A(310R-340R)	☐
15/279A (380R-410R)	☐
23	☐
OPTION 116	☒
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☒
293	☒
Buffer_Tank Service area	☒
Connection_307	☒
Option_12 (310R-340R)	☐
Option_12 (380R-410R)	☐
Option 266 + STD	☐
Option 266 + option 116 / 307	☐
Opt49	☐

Service Clearance
LR (Left Right) Service Clearance
FB (Front Back) Service Clearance



Service Clearance ON

30RB-RBP310R-TO-410R

Model No: 310R-340R-380R-410R

SERVICE CLEARANCE – ON/OFF

Service Clearance spaces for 30RB-RBP unit provided with the option in construction parameter to hide and unhide in the project environment.

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option 307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer Tank Service area	
Connection 307	
Option 12 (310R-340R)	
Option 12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	

Type Properties


Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option 307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer Tank Service area	
Connection 307	
Option 12 (310R-340R)	
Option 12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	

Service Clearance
LR (Left Right) Service Clearance
FB (Front Back) Service Clearance



Service Clearance OFF

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RBP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD Opt

30RB-RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD+15LS/279A

30RB-RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD+ 23

30RB-RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	

30RB-RBP-Input Parameters


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RBP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD+ 15LS/279A +23

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RBP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + 116R/T/V

30RB-RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAIN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAIN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD+ 116S/U/W

30RB-RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
263	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
263	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD+15LS/279A+116R/S/T/U/V/W

30RB-RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option 307	
Panel SS Free Cooling	
STD	
Compressor 310R-340R	☒
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	☒
OPTION 116	☒
116R	☒
116S	☒
116T	
116U	
116V	
116W	
293	
Buffer Tank Service area	
Connection 307	
Option 12 (310R-340R)	
Option 12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option 307	
Panel SS Free Cooling	
STD	
Compressor 310R-340R	☒
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	☒
OPTION 116	☒
116R	☒
116S	☒
116T	
116U	
116V	
116W	
293	
Buffer Tank Service area	
Connection 307	
Option 12 (310R-340R)	
Option 12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + 23 + 116R/S/T/U/V/W

30RB-RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



30RB-RBP-Input Parameters

STD+23+116R/S/T/U/V/W+15LS/279A

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RBP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + 307

30RB-RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RBP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + 307 + 23

30RB-RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + 116R/S/T/U/V/W + 293

30RB-RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + 116R/S/T/U/V/W + 293 + 23

30RB-RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RBP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + 49

30RB-RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RBP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + 116R/S/T/U/V/W + 293 + 307+ 49

30RB-RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	☒
Compressor 310R-340R	☒
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	☒
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	☒
Compressor 310R-340R	☒
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	☒
Option 266 + option 116 / 307	
Opt49	



STD + Opt 266

30RB-RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RBP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + Opt 266 + 116R/S/T/U/V/W

30RB-RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	

30RB-RBP-Input Parameters


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RBP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + Opt 266 + 116R/S/T/U/V/W + 307

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option 307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer Tank Service area	
Connection 307	
Option 12 (310R-340R)	
Option 12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	


Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option 307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer Tank Service area	
Connection 307	
Option 12 (310R-340R)	
Option 12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + Opt 266 +116R/S/T/U/V/W +307+49

30RB-RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...

Type: 30RB310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	☐
Option 305B	☐
Option 305C	☐
OUTLET PIPE 310R	☐
OUTLET PIPE 340R	☐
OUTLET PIPE 380R	☐
OUTLET PIPE 410R	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE 310R	☐
STD OUTLET PIPE 340R	☐
STD OUTLET PIPE 380R	☐
STD OUTLET PIPE 410R	☐
Option 440V Free Cooling	
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Exhaustion_302	
Option_12 (310R-340R)	☐
Option_12 (380R-410R)	☐
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	

OPT305A/B/C(Total Hydraulic free cooling/Partial Hydraulic free cooling/ glycol-free total hydraulic free cooling)

OPT50(Total Heat Recovery)

OPT12(air discharge ducting)

OPT 12 / OPT 50 / OPT 305A/B/C- NON COMPATIBLE with 30RB range units.

If select OPT 12 / OPT 50 / OPT 305 A/B/C - IT WILL NOT DISPLAY

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...


Type: 30RBP310R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + Opt 12

30RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...


Type: 30RBP310R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + Opt 50

30RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Type: 30RBP310R


Load...

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + Opt 50 + 267

30RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...


Type: 30RBP310R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + Opt 50 + 116V

30RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...

Type: 30RBP310R


Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	☒
Option 50 + 116V + 266	☒
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	☒
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	☒
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	

30RBP-Input Parameters



STD + Opt 50 + 266 + 116V

30RB-RBP310R-TO-410R

Type Properties

Family:

30RB-RBP310R TO 410R

Load...

Type:


30RBP310R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	☒
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	☒
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	☒
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + Opt 50 + 267 + 116V

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...


Type: 30RBP310R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	☒
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	☒
Option 50+267	
Option 50+41C	
Option_307	☒
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	☒
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	☒
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + Opt 50 + 116V + 307

30RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...


Type: 30RBP310R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	☐
Option 305B	☐
Option 305C	☐
OUTLET PIPE 310R	☐
OUTLET PIPE 340R	☐
OUTLET PIPE 380R	☐
OUTLET PIPE 410R	☐
Option 50 + 116V	☒
Option 50 + 116V + 266	☐
STD OUTLET PIPE 310R	☐
STD OUTLET PIPE 340R	☐
STD OUTLET PIPE 380R	☐
STD OUTLET PIPE 410R	☐
Option 116V Free Cooling	☐
Option 50	☒
Option 50+267	☒
Option 50+41C	☐
Option_307	☒
Panel SS_Free Cooling	☐
STD	☒
Compressor 310R-340R	☐
Compressor 380R-410R	☐
FB & LR Service_Area	☐
FAN 380R-410R	☐
15/279A(310R-340R)	☐
15/279A (380R-410R)	☐
23	☐
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Connection_307	☒
Option_12 (310R-340R)	☐
Option_12 (380R-410R)	☐
Option 266 + STD	☐
Option 266 + option 116 / 307	☐
Opt49	☐



STD + Opt 50 + 267 + 116V + 307

30RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...


Type: 30RBP310R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	☐
Option 305B	☐
Option 305C	☐
OUTLET PIPE 310R	☐
OUTLET PIPE 340R	☐
OUTLET PIPE 380R	☐
OUTLET PIPE 410R	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE 310R	☐
STD OUTLET PIPE 340R	☐
STD OUTLET PIPE 380R	☐
STD OUTLET PIPE 410R	☐
Option 116V Free Cooling	☐
Option 50	☒
Option 50+267	☐
Option 50+41C	☒
Option_307	☐
Panel SS_Free Cooling	☐
STD	☒
Compressor 310R-340R	☒
Compressor 380R-410R	☐
FB & LR Service Area	☐
FAN 380R-410R	☐
15/279A(310R-340R)	☐
15/279A (380R-410R)	☐
23	☐
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer Tank Service area	☐
Connection_307	☐
Option_12 (310R-340R)	☐
Option_12 (380R-410R)	☐
Option 266 + STD	☐
Option 266 + option 116 / 307	☐
Opt49	☐



STD + Opt 50 + 41C

30RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...


Type: 30RBP310R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	☒
Option 305B	☐
Option 305C	☐
OUTLET PIPE 310R	☐
OUTLET PIPE 340R	☐
OUTLET PIPE 380R	☐
OUTLET PIPE 410R	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE 310R	☒
STD OUTLET PIPE 340R	☐
STD OUTLET PIPE 380R	☐
STD OUTLET PIPE 410R	☐
Option 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Option_307	☐
Panel SS ,Free Cooling	☐
STD	☐
Compressor 310R-340R	☒
Compressor 380R-410R	☐
FB & LR Service_Area	☐
FAN 380R-410R	☐
15/279A(310R-340R)	☐
15/279A (380R-410R)	☐
23	☐
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Connection_307	☐
Option_12 (310R-340R)	☐
Option_12 (380R-410R)	☐
Option 266 + STD	☐
Option 266 + option 116 / 307	☐
Opt49	☐



STD + Opt 305A

30RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...


Type: 30RBP310R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	☒
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	☒
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	☒
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + Opt 305B

30RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...


Type: 30RBP310R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	☐
Option 305B	☐
Option 305C	☒
OUTLET PIPE 310R	☐
OUTLET PIPE 340R	☐
OUTLET PIPE 380R	☐
OUTLET PIPE 410R	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE 310R	☒
STD OUTLET PIPE 340R	☐
STD OUTLET PIPE 380R	☐
STD OUTLET PIPE 410R	☐
Option 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Option_307	☐
Panel SS_Free Cooling	☐
STD	☒
Compressor 310R-340R	☐
Compressor 380R-410R	☐
FB & LR Service_Area	☐
FAN 380R-410R	☐
15/279A(310R-340R)	☐
15/279A (380R-410R)	☐
23	☐
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Connection_307	☐
Option_12 (310R-340R)	☐
Option_12 (380R-410R)	☐
Option 266 + STD	☐
Option 266 + option 116 / 307	☐
Opt49	☐



STD + Opt 305C

30RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...


Type: 30RBP310R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	☒
Option 305B	☐
Option 305C	☐
OUTLET PIPE 310R	☐
OUTLET PIPE 340R	☐
OUTLET PIPE 380R	☐
OUTLET PIPE 410R	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE 310R	☒
STD OUTLET PIPE 340R	☐
STD OUTLET PIPE 380R	☐
STD OUTLET PIPE 410R	☐
Option 116V Free Cooling	☒
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Option_307	☐
Panel SS ,Free Cooling	☐
STD	☐
Compressor 310R-340R	☒
Compressor 380R-410R	☐
FB & LR Service_Area	☐
FAN 380R-410R	☐
15/279A(310R-340R)	☐
15/279A (380R-410R)	☐
23	☐
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Connection_307	☐
Option_12 (310R-340R)	☐
Option_12 (380R-410R)	☐
Option 266 + STD	☐
Option 266 + option 116 / 307	☐
Opt49	☐



STD + 305A+ 116V

30RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...

Type: 30RBP310R


Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	☒
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	☒
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	☒
Option 50	
Option 50+267	
Option 50+41C	
Option 307	
Panel SS Free Cooling	
STD	
Compressor 310R-340R	☒
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	

30RBP-Input Parameters



STD + 305B+ 116V

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...


Type: 30RBP310R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	☐
Option 305B	☐
Option 305C	☒
OUTLET PIPE 310R	☐
OUTLET PIPE 340R	☐
OUTLET PIPE 380R	☐
OUTLET PIPE 410R	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE 310R	☒
STD OUTLET PIPE 340R	☐
STD OUTLET PIPE 380R	☐
STD OUTLET PIPE 410R	☐
Option 116V Free Cooling	☒
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Option_307	☐
Panel SS_Free Cooling	☐
STD	☐
Compressor 310R-340R	☒
Compressor 380R-410R	☐
FB & LR Service_Area	☐
FAN 380R-410R	☐
15/279A(310R-340R)	☐
15/279A (380R-410R)	☐
23	☐
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Connection_307	☐
Option_12 (310R-340R)	☐
Option_12 (380R-410R)	☐
Option 266 + STD	☐
Option 266 + option 116 / 307	☐
Opt49	☐



STD + 305C+ 116V

30RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...


Type: 30RBP310R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	☒
Option 305B	☐
Option 305C	☐
OUTLET PIPE 310R	☐
OUTLET PIPE 340R	☐
OUTLET PIPE 380R	☐
OUTLET PIPE 410R	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE 310R	☒
STD OUTLET PIPE 340R	☐
STD OUTLET PIPE 380R	☐
STD OUTLET PIPE 410R	☐
Option 116V Free Cooling	☒
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Option_307	☐
Panel SS_Free Cooling	☐
STD	☐
Compressor 310R-340R	☒
Compressor 380R-410R	☐
FB & LR Service_Area	☐
FAN 380R-410R	☐
15/279A(310R-340R)	☐
15/279A (380R-410R)	☒
23	☐
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Connection_307	☐
Option_12 (310R-340R)	☐
Option_12 (380R-410R)	☐
Option 266 + STD	☐
Option 266 + option 116 / 307	☐
Opt49	☐



STD + 305A+116V+23

30RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...


Type: 30RBP310R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	☒
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	☒
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	☒
Option 50	
Option 50+267	
Option 50+41C	
Option_307	
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	☒
Compressor 380R-410R	
FB & LR Service_Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	☒
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer_Tank Service area	
Connection_307	
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + 305B+ 116V+23

30RBP-Input Parameters

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...

Type: 30RBP310R


Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	☐
Option 305B	☐
Option 305C	☒
OUTLET PIPE 310R	☐
OUTLET PIPE 340R	☐
OUTLET PIPE 380R	☐
OUTLET PIPE 410R	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE 310R	☒
STD OUTLET PIPE 340R	☐
STD OUTLET PIPE 380R	☐
STD OUTLET PIPE 410R	☐
Option 116V Free Cooling	☒
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Option_307	☐
Panel SS_Free Cooling	☐
STD	☐
Compressor 310R-340R	☒
Compressor 380R-410R	☐
FB & LR Service_Area	☐
FAN 380R-410R	☐
15/279A(310R-340R)	☐
15/279A (380R-410R)	☐
23	☒
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Connection_307	☐
Option_12 (310R-340R)	☐
Option_12 (380R-410R)	☐
Option 266 + STD	☐
Option 266 + option 116 / 307	☐
Opt49	☐

30RBP-Input Parameters



STD + 305C+ 116V+23

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R Load...


Type: 30RBP310R Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	☒
Option 305B	☐
Option 305C	☐
OUTLET PIPE 310R	☐
OUTLET PIPE 340R	☐
OUTLET PIPE 380R	☐
OUTLET PIPE 410R	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE 310R	☐
STD OUTLET PIPE 340R	☐
STD OUTLET PIPE 380R	☐
STD OUTLET PIPE 410R	☐
Option 116V Free Cooling	☒
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Option_307	☒
Panel SS_Free Cooling	☐
STD	☐
Compressor 310R-340R	☒
Compressor 380R-410R	☐
FB & LR Service_Area	☐
FAN 380R-410R	☐
15/279A(310R-340R)	☐
15/279A (380R-410R)	☐
23	☐
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Connection_307	☒
Option_12 (310R-340R)	☐
Option_12 (380R-410R)	☐
Option 266 + STD	☐
Option 266 + option 116 / 307	☐
Opt49	☐

30RBP-Input Parameters



STD + 305A +116V+307

30RB-RBP310R-TO-410R

Type Properties

Family: 30RB-RBP310R TO 410R

Load...


Type: 30RBP310R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	☒
Option 305C	
OUTLET PIPE 310R	
OUTLET PIPE 340R	
OUTLET PIPE 380R	
OUTLET PIPE 410R	
Option 50 + 116V	
Option 50 + 116V + 266	
STD OUTLET PIPE 310R	
STD OUTLET PIPE 340R	
STD OUTLET PIPE 380R	
STD OUTLET PIPE 410R	
Option 116V Free Cooling	☒
Option 50	
Option 50+267	
Option 50+41C	
Option_307	☒
Panel SS_Free Cooling	
STD	
Compressor 310R-340R	☒
Compressor 380R-410R	
FB & LR Service Area	
FAN 380R-410R	
15/279A(310R-340R)	
15/279A (380R-410R)	
23	
OPTION 116	
116R	
116S	
116T	
116U	
116V	
116W	
293	
Buffer Tank Service area	
Connection_307	☒
Option_12 (310R-340R)	
Option_12 (380R-410R)	
Option 266 + STD	
Option 266 + option 116 / 307	
Opt49	



STD + 305B +116V+307

30RBP-Input Parameters