


Revit Family file
30RB-RBP770R-TO-950R


AIR COOLED CHILLER

30RB-RBP770R-TO-950R


30RB-RBP Revit Family




Front View




Side View



30RB-RBP Revit Family




Top View




30RB-RBP Revit Family in Project Environment

30RB-RBP770R-TO-950R


30RB-RBP Revit Family with Buffer Tank




Front View




Side View



30RB-RBP Revit Family



Top View




30RB-RBP Revit Family in Project Environment 3

30RB-RBP770R-TO-950R

Model No: 770R-800R-870R-950R


Overall Dimensions



All Dimensions are in mm
Tolerance ± 10

30RB-RBP770R-TO-950R

Model No: 770R-800R-870R-950R
Overall Dimensions with Buffer Tank



All Dimensions are in mm
Tolerance ± 10

30RB-RBP Revit Family Latest Modification

IDENTIFY DATA EDITING

Model description details are added in the “ Identify Data” parameter segment for all the revit family files. Based on the type of family, details provided (770R,800R,870R,950R,etc...).

Identity Data	
URL	http://www.carrier.com
Model	30RB-RBP770R TO 950R
Manufacturer	Carrier
Description	Air Cooled Chillers

This data will be extracted from the end MEP user whenever he/she will take Material Takeoff job or BOM preparation for the particular unit.

30RB-RBP Revit Family Latest Modification

MASS DETAILS

Mass details are added in the “Data” parameter segment for all the revit family files. Based on the type of family, details provided (770R,800R,870R,950R,etc...).

Type Properties

Family: 30RB-RBP770R TO 950R

Type: 30RB770R

Type Parameters

Constructio

Graphics

Dimensions

Identity Data

Data

Load...

Duplicate...

Rename...


Value

30RB / 30RBP STD	2927 Kg
30RB / 30RBP STD + Opt49	3067 Kg
30RB / 30RBP STD + 15LS	3101 Kg
30RB / 30RBP STD + 15LS+	3146 Kg
30RB / 30RBP STD + 23	3075 Kg
30RB / 30RBP STD + 116W	3342 Kg
30RB / 30RBP STD + 116S	3342 Kg
30RB / 30RBP STD + 293	3027 Kg
30RB / 30RBP STD + 307	3973 Kg

30RB-RBP Revit Family Latest Modification

PIPE CONNECTORS


Depending on the type of connection pipe connectors provided for all the piping in 30RB-RBP unit. All Coupling connection are just shown for representation purpose only.




Connectors at Inlet and Outlet Connections of the unit (Hydronic Kit, BPHE piping and Buffer Tank)

30RB-RBP770R-TO-950R


PIPE DIAMETER DETAILS




STD




Option-116 V




Option-116 W



Option-49




Option-307



Option-50(Only for 30RBP)

Size	Options/Parameters	Inlet Connector Dia	Outlet Connector Dia
30RB-RBP770R-TO-950R	STD	Ø139.7mm	Ø139.7mm
	116V	Ø139.7mm	Ø139.7mm
	116W	Ø139.7mm	Ø139.7mm
	307	Ø114.3mm	Ø114.3mm
	266 STD	Ø141.3mm	Ø141.3mm
	266-116 / 307	Ø141.3mm	Ø141.3mm
	49	Ø60.3mm	Ø60.3mm
	50(Only for 30RBP)	Ø139.7mm	Ø139.7mm
	50 + 116V(Only for 30RBP)	Ø139.7mm	Ø139.7mm
	305A(Only for 30RBP)	Ø139.7mm	Ø139.7mm
	305B(Only for 30RBP)	Ø139.7mm	Ø139.7mm



Option-305A/B(Only for 30RBP)

30RB-RBP770R-TO-950R

Model No: 770R-800R-870R-950R

SERVICE CLEARANCE – ON/OFF

Service Clearance spaces for 30RB-RBP unit provided with the option in construction parameter to hide and unhide in the project environment.

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☒
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☒
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

Service Clearance
LR (Left Right) Service Clearance
FB (Front Back) Service Clearance



Service Clearance ON

30RB-RBP770R-TO-950R

Model No: 770R-800R-870R-950R

SERVICE CLEARANCE – ON/OFF

Service Clearance spaces for 30RB-RBP unit provided with the option in construction parameter to hide and unhide in the project environment.

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_30SA	☐
OPTION_30SB	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RBP770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_30SA	☐
OPTION_30SB	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

Service Clearance
LR (Left Right) Service Clearance
FB (Front Back) Service Clearance



Service Clearance OFF

30RB-RBP770R-TO-950R

Model No: 770R-800R-870R-950R

SERVICE CLEARANCE – ON/OFF

Service Clearance spaces for 30RB-RBP unit provided with the option in construction parameter to hide and unhide in the project environment.

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☒
Connection_307	☒
OPTION 116	☒
116V	☒
116W	☒
293	☐
Buffer_Tank Service area	☒
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☒
Connection_307	☒
OPTION 116	☒
116V	☒
116W	☒
293	☐
Buffer_Tank Service area	☒
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

Service Clearance
LR (Left Right) Service Clearance
FB (Front Back) Service Clearance



Service Clearance ON

30RB-RBP770R-TO-950R

Model No: 770R-800R-870R-950R

SERVICE CLEARANCE – ON/OFF

Service Clearance spaces for 30RB-RBP unit provided with the option in construction parameter to hide and unhide in the project environment.

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☒
Connection_307	☒
OPTION 116	☒
116V	☐
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐


Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RBP770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☒
Connection_307	☒
OPTION 116	☒
116V	☐
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



Service Clearance OFF

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐


Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RBP770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



30RB-RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☒
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☒
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

STD +15LS/279A



30RB-RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☒
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RBP770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☒
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

30RB-RBP-Input Parameters



30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☒
15/279A(870R-950R)	☐
23	☒
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☒
15/279A(870R-950R)	☐
23	☒
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

STD+ 15LS/279A +23



30RB-RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☒
116V	☒
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐


Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☒
116V	☒
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



30RB-RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	2
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☒
Connection_307	☒
OPTION 116	☒
116V	☒
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐


Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RBP770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	2
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☒
Connection_307	☒
OPTION 116	☒
116V	☒
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



30RB-RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS,Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☒
Connection_307	☒
OPTION 116	☒
116V	☒
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☒
Opt49	☐

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS,Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☒
Connection_307	☒
OPTION 116	☒
116V	☒
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☒
Opt49	☐

STD + Opt 116V + 307 + 266



30RB-RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☒
116V	☐
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐


Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☒
116V	☐
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



30RB-RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☒
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☒
116V	☐
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

30RB-RBP-Input Parameters


Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☒
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☒
116V	☐
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☒
OPT 307	☐
Connection_307	☐
OPTION 116	☒
116V	☐
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☒
OPT 307	☐
Connection_307	☐
OPTION 116	☒
116V	☐
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

STD + 23 + 116W



30RB-RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☒
15/279A(870R-950R)	☐
23	☒
OPT 307	☐
Connection_307	☐
OPTION 116	☒
116V	☐
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☒
15/279A(870R-950R)	☐
23	☒
OPT 307	☐
Connection_307	☐
OPTION 116	☒
116V	☐
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

30RB-RBP-Input Parameters



30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☒
Connection_307	☒
OPTION 116	☒
116V	☐
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☒
Connection_307	☒
OPTION 116	☒
116V	☐
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

30RB-RBP-Input Parameters



30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☒
OPT 307	☒
Connection_307	☒
OPTION 116	☒
116V	☐
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☒
OPT 307	☒
Connection_307	☒
OPTION 116	☒
116V	☐
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

STD +116 W + 307 + 23



30RB-RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☒
116V	☐
116W	☒
293	☒
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☒
116V	☐
116W	☒
293	☒
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

STD + 116W + 293



30RB-RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☒
OPT 307	☐
Connection_307	☐
OPTION 116	☒
116V	☐
116W	☒
293	☒
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☒
OPT 307	☐
Connection_307	☐
OPTION 116	☒
116V	☐
116W	☒
293	☒
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

STD + 116W + 293 + 23



30RB-RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☒

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RBP770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☒

30RB-RBP-Input Parameters



30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☒
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☒
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

STD + Opt 266



30RB-RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☒
116V	☐
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☒
Opt49	☐

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RBP770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☒
116V	☐
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☒
Opt49	☐

STD + Opt 266 + 116W



30RB-RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☒
Connection_307	☒
OPTION 116	☒
116V	☒
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☒
Opt49	☐

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☒
Connection_307	☒
OPTION 116	☒
116V	☒
116W	☒
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☒
Opt49	☐

STD + 116W + Opt 266 + 307



30RB-RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☒
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☒
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☒

Type Properties


Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☒
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☒
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☒

STD + Opt 266 + 49



30RB-RBP-Input Parameters

30RB770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R Load...

Type: 30RB770R Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☐
Service_Area FB & LR	☐
Compressor (770R-800R)	☐
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐

OPT305A/B(Total Hydraulic free cooling/Partial Hydraulic free cooling)

OPT50(Total Heat Recovery)

OPT12(air discharge ducting)

OPT 12 / OPT 50 / OPT 305A/B - NON COMPATIBLE with 30RB range units.

If select OPT 12 / OPT 50 / OPT 305 A/B - IT WILL NOT DISPLAY

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R

Load...


Type: 30RBP770R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☒
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + Opt 12

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R

Load...


Type: 30RBP770R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☒
OPTION 116V Free Cooling	☐
Option 50	☒
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + Opt 50

30RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R

Load...


Type: 30RBP770R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☒
OPTION 116V Free Cooling	☐
Option 50	☒
Option 50+267	☒
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + Opt 50 + 267

30RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R

Load...


Type: 30RBP770R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_30SA	☐
OPTION_30SB	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☒
OPTION 116V Free Cooling	☐
Option 50	☒
Option 50+267	☐
Option 50+41C	☒
Panel SS Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + Opt 50+ 41C

30RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R

Load...


Type: 30RBP770R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☒
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☒
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + Opt 50+ 116V

30RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R

Load...


Type: 30RBP770R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☒
Option 50 + 116V	☒
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☒
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☒
Connection_307	☒
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + Opt 50+ 116V+ 307

30RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R

Load...


Type: 30RBP770R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☒
Option 50 + 116V	☒
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☒
Option 50+267	☒
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☒
Connection_307	☒
OPTION 116	☐
116V	☐
116VW	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + Opt 50 + 267 + 116V+ 307

30RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R

Load...


Type: 30RBP770R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☐
OUTLET PIPE	☒
Option 50 + 116V	☒
Option 50 + 116V + 266	☒
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☒
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + Opt 50+ 116V + 266

30RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R

Load...


Type: 30RBP770R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☒
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + Opt 305A

30RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R

Load...


Type: 30RBP770R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☒
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☐
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + Opt 305B

30RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R

Load...


Type: 30RBP770R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☒
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☒
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + 305A+ Opt 116V

30RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R

Load...


Type: 30RBP770R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☒
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☒
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + 305B +Opt 116V

30RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R

Load...


Type: 30RBP770R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☒
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☒
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☒
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + 305A+Opt 116V + 23

30RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R

Load...


Type: 30RBP770R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☒
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☒
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☒
OPT 307	☐
Connection_307	☐
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + 305B+Opt 116V + 23

30RBP- Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R

Load...


Type: 30RBP770R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☒
OPTION_305B	☐
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☒
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☒
Connection_307	☒
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + Opt 305A + 116V + 307

30RBP-Input Parameters

30RB-RBP770R-TO-950R

Type Properties

Family: 30RB-RBP770R TO 950R

Load...


Type: 30RBP770R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
OPTION_305A	☐
OPTION_305B	☒
OUTLET PIPE	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
STD OUTLET PIPE	☐
OPTION 116V Free Cooling	☒
Option 50	☐
Option 50+267	☐
Option 50+41C	☐
Panel SS_Free Cooling	☐
STD	☒
Service_Area FB & LR	☐
Compressor (770R-800R)	☒
Compressor (870R-950R)	☐
FAN 870R-950R	☐
15/279A(770R-800R)	☐
15/279A(870R-950R)	☐
23	☐
OPT 307	☒
Connection_307	☒
OPTION 116	☐
116V	☐
116W	☐
293	☐
Buffer_Tank Service area	☐
Option_12 (770R-800R)	☐
Option_12 (870R-950R)	☐
Option 266 + STD	☐
Option 266 + 116V	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + Opt 305B + 116V + 307

30RBP-Input Parameters