





Revit Family file

30RB-040R-TO-080R





30RB-040R-TO-080R FAMILY TABLE OPTIONS

Construction	
Opt 116S/116U/116W/116Y	☒
Opt 12	☒
Opt 23	☒
Opt 264	☒
Opt 266	☒
Opt 293	☒
Opt 49	☒
Service Area	☒
Service Area with Buffer Tank	☒
Opt 116R/116T/116V/116X	☒
Opt 307	☒
Standard	☒

30RB-040R-TO-080R (Standard)




30RB-040R-TO-080R (Standard with Buffer Tank)





30RB-040R-TO-080R (Buffer Tank)

Construction	
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☐
Opt 264	☐
Opt 266	☐
Opt 293	☐
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☐
Opt 116R/116T/116V/116X	☐
Opt 307	☒
Standard	☐



30RB-040R-TO-080R (Unit water connection details)



Connector Element (1) Edit Type

Dimensions

Diameter 60.3

Mechanical

K Coefficient 0.000000

Flow Factor 0.000000

Flow Configur... Calculated

Flow Direction Out

Loss Method Not Defined

Allow Slope Adj... ☐

System Classific... Domestic Cold ...

Mechanical - Flow

Fixture Units 0.000000

Flow 0.00 L/s

Pressure Drop 0.00 Pa

Identity Data

Utility ☐

Connector Desc... OUTLET

Connector Element (1) Edit Type

Dimensions

Diameter 60.3

Mechanical

K Coefficient 0.000000

Flow Factor 0.000000

Flow Configur... Calculated

Flow Direction In

Loss Method Not Defined

Allow Slope Adj... ☐

System Classific... Domestic Hot W...

Mechanical - Flow

Fixture Units 0.000000

Flow 0.00 L/s

Pressure Drop 0.00 Pa



Identity Data

Utility ☐

Connector Desc... INLET

Construction	
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☐
Opt 264	☐
Opt 266	☐
Opt 293	☐
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☐
Opt 116R/116T/116V/116X	☐
Opt 307	☐
Standard	☒

30RB-040R-TO-080R (Desuperheater water connection details)




Connector Element (1)		Edit Type
Dimensions		
Diameter	33.2	
Mechanical		
K Coefficient	0.000000	
Flow Factor	0.000000	
Flow Configuration	Calculated	
Flow Direction	Out	
Loss Method	Not Defined	
Allow Slope Adjustments	☐	
System Classification	Domestic Hot Water	
Mechanical - Flow		
Fixture Units	0.000000	
Flow	0.00 L/s	
Pressure Drop	0.00 Pa	
Identity Data		
Utility	☐	
Connector Description	OUTLET	

Connector Element (1)		Edit Type
Dimensions		
Diameter	33.2	
Mechanical		
K Coefficient	0.000000	
Flow Factor	0.000000	
Flow Configuration	Calculated	
Flow Direction	In	
Loss Method	Not Defined	
Allow Slope Adjustments	☐	
System Classification	Domestic Cold Water	
Mechanical - Flow		
Fixture Units	0.000000	
Flow	0.00 L/s	
Pressure Drop	0.00 Pa	
Identity Data		
Utility	☐	
Connector Description	INLET	


Construction	
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☐
Opt 264	☐
Opt 266	☐
Opt 293	☐
Opt 49	☒
Service Area	☐
Service Area with Buffer Tank	☐
Opt 116R/116T/116V/116X	☐
Opt 307	☐
Standard	☐

30RB-040R-TO-080R (Grilles)




Construction	
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☒
Opt 264	☐
Opt 266	☐
Opt 293	☐
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☐
Opt 116R/116T/116V/116X	☐
Opt 307	☐
Standard	☒

30RB-040R-TO-080R (Single Pump Hydronic)



Construction	
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☐
Opt 264	☐
Opt 266	☐
Opt 293	☒
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☐
Opt 116R/116T/116V/116X	☒
Opt 307	☐
Standard	☒


30RB-040R-TO-080R (Dual Pump Hydraulic)




Construction

Opt 116S/116U/116W/116Y	☒
Opt 12	☐
Opt 23	☐
Opt 264	☐
Opt 266	☐
Opt 293	☒
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☐
Opt 116R/116T/116V/116X	☐
Opt 307	☐
Standard	☒

30RB-040R-TO-080R (Desuperheater)




30RB-040R-TO-080R (Option 264)




Construction	
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☐
Opt 264	☒
Opt 266	☐
Opt 293	☐
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☐
Opt 116R/116T/116V/116X	☐
Opt 307	☐
Standard	☒

30RB-040R-TO-080R (Option 266)



Construction	
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☐
Opt 264	☐
Opt 266	☒
Opt 293	☐
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☐
Opt 116R/116T/116V/116X	☐
Opt 307	☐
Standard	☒

30RB-040R-TO-080R (Option 12)



Construction	
Opt 116S/116U/116W/116Y	☐
Opt 12	☒
Opt 23	☐
Opt 264	☐
Opt 266	☐
Opt 293	☐
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☐
Opt 116R/116T/116V/116X	☐
Opt 307	☐
Standard	☒

30RB-040R-TO-080R (Service Area)

Construction	
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☐
Opt 264	☐
Opt 266	☐
Opt 293	☐
Opt 49	☐
Service Area	☒
Service Area with Buffer Tank	☐
Opt 116R/116T/116V/116X	☐
Opt 307	☐
Standard	☒

Construction	
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☐
Opt 264	☐
Opt 266	☐
Opt 293	☐
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☒
Opt 116R/116T/116V/116X	☐
Opt 307	☒
Standard	☐

