





Revit Family file
30RQ-040R-TO-080R





30RQ-040R-TO-080R FAMILY TABLE OPTIONS

Construction	
Opt 116R/116T/116V/116X	☒
Opt 116S/116U/116W/116Y	☒
Opt 12	☒
Opt 23	☒
Opt 264	☒
Opt 266	☒
Opt 293	☒
Opt 307	☒
Opt 49	☒
Service Area	☒
Service Area with Buffer Tank	☒
Standard	☒

30RQ-040R-TO-080R (Standard)




30RQ-040R-TO-080R (Standard with Buffer Tank)





30RQ-040R-TO-080R (Buffer Tank)

Construction	
Opt 116R/116T/116V/116X	☐
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☐
Opt 264	☐
Opt 266	☐
Opt 293	☐
Opt 307	☒
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☐
Standard	☐



30RQ-040R-TO-080R (Unit Water Connection details)



Connector Element (1) Edit Type

Dimensions	
Diameter	60.3
Mechanical	
K Coefficient	0.000000
Flow Factor	0.000000
Flow Configur...	Calculated
Flow Direction	Out
Loss Method	Not Defined
Allow Slope Adj...	☐
System Classific...	Domestic Cold ...
Mechanical - Flow	
Fixture Units	0.000000
Flow	0.00 L/s
Pressure Drop	0.00 Pa
Identity Data	
Utility	☐
Connector Desc...	OUTLET



Connector Element (1) Edit Type

Dimensions	
Diameter	60.3
Mechanical	
K Coefficient	0.000000
Flow Factor	0.000000
Flow Configur...	Calculated
Flow Direction	In
Loss Method	Not Defined
Allow Slope Adj...	☐
System Classific...	Domestic Hot W...
Mechanical - Flow	
Fixture Units	0.000000
Flow	0.00 L/s
Pressure Drop	0.00 Pa
Identity Data	
Utility	☐
Connector Desc...	INLET

Construction

Opt 116R/116T/116V/116X	☐
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☐
Opt 264	☐
Opt 266	☐
Opt 293	☐
Opt 307	☐
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☐
Standard	☒

30RQ-040R-TO-080R (Desuperheater Water Connection details)




Connector Element (1)		Edit Type
Dimensions		
Diameter	33.2	
Mechanical		
K Coefficient	0.000000	
Flow Factor	0.000000	
Flow Configuration	Calculated	
Flow Direction	Out	
Loss Method	Not Defined	
Allow Slope Adjustments	☐	
System Classification	Domestic Hot Water	
Mechanical - Flow		
Fixture Units	0.000000	
Flow	0.00 L/s	
Pressure Drop	0.00 Pa	
Identity Data		
Utility	☐	
Connector Description	OUTLET	

Connector Element (1)		Edit Type
Dimensions		
Diameter	33.2	
Mechanical		
K Coefficient	0.000000	
Flow Factor	0.000000	
Flow Configuration	Calculated	
Flow Direction	In	
Loss Method	Not Defined	
Allow Slope Adjustments	☐	
System Classification	Domestic Cold Water	
Mechanical - Flow		
Fixture Units	0.000000	
Flow	0.00 L/s	
Pressure Drop	0.00 Pa	
Identity Data		
Utility	☐	
Connector Description	INLET	

Construction

Opt 116R/116T/116V/116X	☐
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☐
Opt 264	☐
Opt 266	☐
Opt 293	☐
Opt 307	☐
Opt 49	☒
Service Area	☐
Service Area with Buffer Tank	☐
Standard	☐


30RQ-040R-TO-080R (Grille)



Construction

Opt 116R/116T/116V/116X	☐
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☒
Opt 264	☐
Opt 266	☐
Opt 293	☐
Opt 307	☐
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☐
Standard	☒


30RQ-040R-TO-080R (Single Pump Hydronic)



Construction


Opt 116R/116T/116V/116X	☒
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☐
Opt 264	☐
Opt 266	☐
Opt 293	☐
Opt 307	☐
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☐
Standard	☒

30RQ-040R-TO-080R (Dual Pump Hydraulic)




Construction	
Opt 116R/116T/116V/116X	☐
Opt 116S/116U/116W/116Y	☒
Opt 12	☐
Opt 23	☐
Opt 264	☐
Opt 266	☐
Opt 293	☐
Opt 307	☐
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☐
Standard	☒

30RQ-040R-TO-080R (Desuperheater)




30RQ-040R-TO-080R (Option 264)



Construction


Opt 116R/116T/116V/116X	☐
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☐
Opt 264	☒
Opt 266	☐
Opt 293	☐
Opt 307	☐
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☐
Standard	☒

30RQ-040R-TO-080R (Option 266)



Construction	
Opt 116R/116T/116V/116X	☐
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☐
Opt 264	☐
Opt 266	☒
Opt 293	☐
Opt 307	☐
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☐
Standard	☒

30RQ-040R-TO-080R (Option 12)



Construction

Opt 116R/116T/116V/116X	☐
Opt 116S/116U/116W/116Y	☐
Opt 12	☒
Opt 23	☐
Opt 264	☐
Opt 266	☐
Opt 293	☐
Opt 307	☐
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☐
Standard	☒

30RQ-040R-TO-080R (Service Area)

Construction

Opt 116R/116T/116V/116X	☐
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☐
Opt 264	☐
Opt 266	☐
Opt 293	☐
Opt 307	☐
Opt 49	☐
Service Area	☒
Service Area with Buffer Tank	☐
Standard	☒

Construction

Opt 116R/116T/116V/116X	☐
Opt 116S/116U/116W/116Y	☐
Opt 12	☐
Opt 23	☐
Opt 264	☐
Opt 266	☐
Opt 293	☐
Opt 307	☒
Opt 49	☐
Service Area	☐
Service Area with Buffer Tank	☒
Standard	☐

